INT. J. REMOTE SENSING, 2001, VOL. 22, NO. 18, 3913–3933

# Index of Authors (with the titles of papers)

ABDELHAMID, G.: Radarsat investigation of a circular feature in east central Jordan, 2231
ABUZAR, M., MCALLISTER, A. and MORRIS, M.: Classification of seasonal images for monitoring irrigated crops in a salinity-affected area of Australia, 717
ACHARD, F., EVA, H. and MAYAUX, P.: Tropical forest mapping from coarse spatial resolution satellite data: production and accuracy assessment issues, 2741
ADDINK, E., *see* van der Meer, F.
AGUIRRE-GÓMEZ, R., WEEKS, A. R. and BOXALL, S. R.: The identification of phytoplankton pigments from absorption spectra, 315
AGUIRRE-GOMEZ, R., BOXALL, S. R. and WEEKS, A. R.: Detecting photosynthetic algar pigments in natural populations using a high-spectral-resolution spectroradiometer, 2867
AHMAD, W., *see* Menges, C. H.
AKMAN, A. Ü, SANGA, T., NARUI, E. and OIKAWA, N.: Technical note. Development of a new technique for geological investigation using DTM data: an example in western Turkey, 851
ALBERT, A., *see* Schlüssel, P.
ALEXANDER, M., *see* Leblon, B.
AL-RAWI, K. R., CASANOVA, J. L. and CALLE, A.: Burned area mapping system and fire detection system, based on neural networks and NOAA-AVHRR imagery, 2015
AL-RAWI, K. R., CASANOVA, J. L. and ROMO, A.: IFEMS: a new approach for monitoring wildfire evolution with NOAA-AVHRR imagery, 2033
ANDRÉFOUËT, S., CLAEREBOUDT, M., MATSAKIS, P., PAGÈS, J. and DUFOUR, P.: Typology of atoll rims in Tuamotu Archipelago (French Polynesia) at landscape scale using SPOT HRV images, 987
ANNISTE, J., *see* Nilson, T.
ANYAMBA, A., TUCKER, C. J. and EASTMAN, J. R.: NDVI anomaly patterns over Africa during the 1997/98 ENSO warm event, 1847
APLIN, P. and ATKINSON, P. M.: Sub-pixel land cover mapping for per-field classification, 2853
ARKIN, P. A., *see* Miller, S. W.
ARKIN, Y., *see* Manspeizer, N.
ARNBERG, W., *see* Moleele, N.
ASKARI, F.: Multi-sensor remote sensing of eddy-induced upwelling in the southern coastal region of Sicily, 2899
ASKNE, J., *see* Fransson, J. E. S.
ASKNE, J., *see* Smith, G.
ASNER, G. P.: Cloud cover in Landsat observations of the Brazilian Amazon, 3855
ATKINSON, P. M., *see* Aplin, P.

BABAN, S. M. J. and YUSOF, K. W.: Mapping land use/cover distribution on a mountainous tropical island using remote sensing and GIS, 1909
BABICHENKO, S. M., *see* Dudelzak, A. E.
BABICHENKO, S., LEEBEN, A., PORYVKINA, L., SHALAPYONOK, A. and SEPPÄLÄ, J.: Variability of *Chlorella* sp. fluorescence in response to different nitrogen conditions, 403

Babu Madhavan, B., Kubo, S., Kurisaki, N. and Sivakumar, T. V. L. N.: Appraising the anatomy and spatial growth of the Bangkok Metropolitan area using a vegetation-impervious-soil model through remote sensing, 789
Bach, K., *see* Coburn, C.
Baghdadi, N., Bernier, M., Gauthier, R. and Neeson, I.: Evaluation of C-band SAR data for wetlands mapping, 71
Baines, P. G., *see* Prata, A. J.
Bakker, W., *see* van der Meer, F.
Bamber, J., *see* Hanna, E.
Bandyopadhyay, L. K., Gera, B. S., Saxena, N., Sinha, S. K., Pandey, H. D. and Kumar, P.: Technical note. Sodar studies of some atmospheric boundary layer parameters during a solar eclipse, 3611
Bandyopadhyay, S., *see* Pal, S. K.
Barbini, R., Colao, F., Fantoni, R., Palucci, A. and Ribezzo, S.: Differential lidar fluorosensor system used for phytoplankton bloom and seawater quality monitoring in Antarctica, 369
Barla, M. C., *see* Gardashov, R.
Barnsley, M. J., *see* Hays, G. C.
Barton, J. S., *see* Tait, A. B.
Baugh, K., *see* Sutton, P.
Baugh, K. E., *see* Elvidge, C. D.
Baugh, W., Klinger, L., Guenther, A. and Geron, C.: Measurement of oak tree density with Landsat TM data for estimating biogenic isoprene emissions in Tennessee, USA, 2793
Beaubien, J., *see* Cihlar, J.
Beaudoin, A., *see* Castel, T.
Beaulieu, N., *see* Leclerc, G.
Ben-dor, E., Kochavi, M., Vinizki, L., Shionim, M. and Portugali, J.: Detection of buried ancient walls using airborne thermal video radiometry, 3689
Ben-dor, E., Levin, N. and Saaroni, H.: A spectral based recognition of the urban environment using the visible and near-infrared spectral region (0.4–1.1 $\mu$m). A case study over Tel-Aviv, Israel, 2193
Bennett, J. C., *see* Morrison, K.
Berliner, P., *see* Qin, Z.
Bernier, M., *see* Baghdadi, N.
Bert, D., *see* Champion, I.
Beuchle, R., *see* Stibig, H.-J.
Bhandari, S. M., *see* Dash, M. K.
Bierwirth, P. N., *see* McVicar, T. R.
Black, A., *see* Liu, J. G.
Black, A. F., *see* Cracknell, A. P.
Blundell, J. R., *see* Subrahmanyam, B.
Bonn, F., *see* Leclerc, G.
Boon, D., *see* Tett, P.
Bothle, V. M., *see* Chandra, R.
Bourgeau-Chavez, L. L., Kasischke, E. S., Brunzell, S. M., Mudd, J. P., Smith, K. B. and Frick, A. L.: Analysis of space-borne SAR data for wetland mapping in Virginia riparian ecosystems, 3665
Bowers, D. G., *see* Cracknell, A. P.
Bowers, D. G., Kratzer, S., Morrison, J. R., Smith, P. S. D., Tett, P., Walne, A. W. and Wild-Allen, K.: On the calibration and use of *in situ* ocean colour measurements for monitoring algal blooms, 359
Boxall, S. R., *see* Aguirre-Gómez, R.
Boyd, D. S. and Duane, W. J.: Exploring spatial and temporal variation in middle infrared reflectance (at 3.75 $\mu$m) measured from the tropical forests of west Africa, 1861

BRANTHOMME, A., *see* Imbernon, J.
BRIVIO, P. A., GIARDINO, C. and ZILIOLI, E.: Determination of chlorophyll concentration changes in Lake Garda using an image-based radiative transfer code for Landsat TM images, 487
BROWN, M., *see* Lewis, H. G.
BRUNZELL, S. M., *see* Bourgeau-Chavez, L. L.
BUKIN, O. A., PAVLOV, A. N., PERMYAKOV, M. S., MAJOR, A. Yu., KONSTANTINOV, O. G., MALEENOK, A. V. and OGAY, S. A.: Continuous measurements of chlorophyll-*a* concentration in the Pacific Ocean by shipborne laser fluorometer and radiometer: comparison with SeaWiFS data, 415
BURKE, E. J. and SIMMONDS, L. P.: Passive microwave emission from smooth bare soils: developing a simple model to predict near surface water content, 3747
BUSSELL, M. A., *see* Zukowskyj, P. M.

CACCETTA, P., *see* Kiiveri, H. T.
CALERA, A., MARTÍNEZ, C. and MELIÁ, J.: Technical note. A procedure for obtaining green plant cover: relation to NDVI in a case study for barley, 3357
CALKOEN, C. J., HESSELMANS, G. H. F. M., WENSINK, G. J. and VOGELZANG, J.: The Bathymetry Assessment System: efficient depth mapping in shallow seas using radar images, 2973
CALLE, A., *see* Al-Rawi, K. R.
CAPPA, C., *see* Zecchetto, S.
CAPSTICK, D. and HARRIS, R.: The effects of speckle reduction on classification of ERS SAR data, 3627
CARVALHO, L. M. T., FONSECA, L. M. G., MURTAGH, F. and CLEVERS, J. G. P. W.: Digital change detection with the aid of multiresolution wavelet analysis, 3871
CASANOVA, J. L., *see* Al-Rawi, K. R.
CASELLES, V., *see* Coll, C.
CASTEL, T., BEAUDOIN, A., STACH, N., STUSSI, N., LE TOAN, T. and DURAND, P.: Sensitivity of space-borne SAR data to forest parameters over sloping terrain. Theory and experiment, 2351
CAVAYAS, F., *see* Lavoie, A.
CHALLENOR, P., *see* Topliss, B. J.
CHALLENOR, P. G., *see* Subrahmanyam, B.
CHAMPION, I., PORTE, A., BERT, D., LOUSTAU, D., GUEDON, M., JEAN-COURDIER, F., LAGANE, F., LAMBROT, C., LARDIT, A. and SARTORE, M.: Tree architecture in remote sensing analytical models: The Bray experiment, 1827
CHANDRA, R. and BOTHLE, V. M.: Optical polarization to improve discrimination capability of remote sensing: a laboratory study, 169
CHAPMAN, G. E., *see* Edirisinghe, A.
CHAPPELL, A., SEAQUIST, J. W. and EKLUNDH, L.: Improving the estimation of noise from NOAA AVHRR NDVI for Africa using geostatistics, 1067
CHAUHAN, P., *see* Mohan, M.
CHAUHAN, P., *see* Sarangi, R. K.
CHEN, D.: Application of altimeter observation to El Niño prediction, 2621
CHEN, G. and LIN, H.: Technical note. Impacts of collocation window on the accuracy of altimeter/buoy wind-speed comparison—a simulation study, 35
CHEN, G., *see* Ma, J.
CHEN, G., EZRATY, R., HE, Y. and FANG, C.: Abnormal features of the Pacific wind system during the 1997–1998 El Niño, 3907
CHEN, J., *see* Leblon, B.
CHEN, X., *see* Warner, T. A.
CHIARI, R., *see* Longhi, I.
CHIBA, K., *see* Kurosu, T.

CHOPPING, M. J.: Testing LiSK BRDF models over a semi-arid grassland region with visible and near-infrared ATSR-2 and AVHRR data, 3533
CHOPRA, R., VERMA, V. K. and SHARMA, P. K.: Mapping, monitoring and conservation of Harike wetland ecosystem, Punjab, India, through remote sensing, 89
CHOROWICZ, J., *see* Manspeizer, N.
CHOUDHARY, P. R., *see* Saraf, A. K.
CIHLAR, J., OKOUNEVA, G., BEAUBIEN, J. and LATIFOVIC, R.: A new histogram quantization algorithm for land cover mapping, 2151
CLAEREBOUDT, M., *see* Andréfouët, S.
CLEMENTE-COLÓN, P., *see* Li, X.
CLEVERS, J., *see* van der Meer, F.
CLEVERS, J. G. P. W., *see* Carvalho, L. M. T.
COAKELEY, P., *see* Thorne, V.
COAKLEY, J. A., JR, *see* Tahnk, W. R.
COAN, M., *see* Sader, S. A.
COBURN, C., ROBERTS, A. and BACH, K.: Spectral and spatial artifacts from the use of desktop scanners for remote sensing, 3863
COHEN, B., *see* Maiersperger, T. K.
COHEN, W. B., MAIERSPERGER, T. K., SPIES, T. A. and OETTER, D. R.: Modelling forest cover attributes as continuous variables in a regional context with Thematic Mapper data, 2279
COLAO, F., *see* Barbini, R.
COLL, C., CASELLES, V., RUBIO, E., SOSPEDRA, F. and VALOR, E.: Analysis of thermal infrared data from the Digital Airborne Imaging Spectrometer, 3703
COOKMARTIN, G., *see* Morrison, K.
COOPS, N. C., WARING, R. H. and LANDSBERG, J. J.: Estimation of potential forest productivity across the Oregon transect using satellite data and monthly weather records, 3797
COTA, G., *see* Sathyendranath, S.
COUTERON, P., DESHAYES, M. and ROCHES, C.: A flexible approach for woody cover assessment from SPOT HRV XS data in semi-arid West Africa. Application in northern Burkina Faso, 1029
CRACKNELL, A. P.: Editorial, 7
CRACKNELL, A. P.: Editorial, 3265
CRACKNELL, A. P., BOWERS, D. G. and NEWCOMBE, S. K.: Editorial, 203
CRACKNELL, A. P., NEWCOMBE, S. K., BLACK, A. F. and KIRBY, N. E.: The ABDMAP (Algal Bloom Detection, Monitoring and Prediction) Concerted Action, 205
CROSS, H., *see* Shaikh, M.
CUEVAS, J. M., *see* Vázquez, A.
CUNNINGHAM, A., *see* Wood, P.
CUNNINGHAM, A., WOOD, P. and JONES, K.: Reflectance properties of hydrographically and optically stratified fjords (Scottish sea lochs) during the Spring diatom bloom, 2885
CUOMO, V., *see* Pietrapertosa, C.
CUOMO, V., LASAPONARA, R. and TRAMUTOLI, V.: Evaluation of a new satellite-based method for forest fire detection, 1799
CURRAN, P. J., *see* Svoray, T.
CZAJKOWSKI, K., *see* Lakshmi, V.

DARE, P. M. and FRASER, C. S.: Cover. Mapping informal settlements using high resolution satellite imagery, 1399
DASH, M. K., BHANDARI, S. M., VYAS, N. K., KHARE, N., MITRA, A. and PANDEY, P. C.: Oceansat-MSMR imaging of the Antarctic and the Southern Polar Ocean, 3253
DAVE, A. J., *see* Patel, N. K.
DAVISON, R. G., *see* Matthews, A. M.
DEBINSKI, D., *see* Jakubauskas, M.

DE JONG, S., *see* van der Meer, F.
DEL CARMEN VALDES, M. and INAMURA, M.: Improvement of remotely sensed low spatial resolution images by back-propagated neural networks using data fusion techniques, 629
DEL FRATE, F. and WANG, L.-F.: Sunflower biomass estimation using a scattering model and a neural network algorithm, 1235
DE MESQUITA, A. R., *see* França, C. A. S.
DENG, W., WAN, Y. Q. and ZHAO, R. C.: Detecting coal fires with a neural network to reduce the effect of solar radiation on Landsat Thematic Mapper thermal infrared images, 933
DESCLOITRES, J., *see* Vermote, E. F.
DESHAYES, M., *see* Couteron, P.
DE VALK, P., *see* Feijt, A.
DIETZ, J. B., *see* Elvidge, C. D.
DI GIROLAMO, L., *see* Kärner, O.
DIKSHIT, O., *see* Shaban, M. A.
DRAY, M., *see* Hays, G. C.
DUANE, W. J., *see* Boyd, D. S.
DUBAYAH, R., *see* Lakshmi, V.
DUBOIS, J.-M. M., *see* Lavoie, A.
DUBOIS, J.-M. M., *see* Simms, É. L.
DUDELZAK, A. E., BABICHENKO, S. M., PORYVKINA, L. and WASSMANN, P.: Spectroscopic lidar sensing in three-dimensional profiling of marine organics, 385
DUFOUR, P., *see* Andréfouët, S.
DUGDALE, G., *see* Thorne, V.
DUNCAN, A. G., *see* Matthews, A. M.
DURAND, P., *see* Castel, T.
DUTTA, S., *see* Patel, N. K.
DWIVEDI, R. M., *see* Solanki, H. U.

EASTMAN, J. R., *see* Anyamba, A.
ECHAVARRIA, F. R., *see* Elvidge, C. D.
EDIRISINGHE, A., CHAPMAN, G. E. and LOUIS, J. P.: A simplified method for retrieval of ground level reflectance of targets from airbourne video imagery, 1127
EKLUNDH, L., *see* Chappell, A.
EL-GAMILY, H. I., NASR, S. and EL-RAEY, M.: An assessment of natural and human-induced changes along Hurghada and Ras Abu Soma coastal area, Red Sea, Egypt, 2999
EL-RAEY, M., *see* El-Gamily, H. I.
EL SALEOUS, N., *see* Vermote, E. F.
ELVIDGE, C. D., HOBSON, V. R., BAUGH, K. E., DIETZ, J. B., SHIMABUKURO, Y. E., KRUG, T., NOVO, E. M. L. M. and ECHAVARRIA, F. R.: DMSP-OLS estimation of tropical forest area impacted by surface fires in Roraima, Brazil: 1995 versus 1998, 2661
ELVIDGE, C., *see* Sutton, P.
EPEMA, G., *see* van der Meer, F.
ESCADAFAL, R., *see* Leone, A. P.
EVANS, D. L., *see* Prakash, A.
EVANS, F., *see* Kiiveri, H. T.
EVA, H., *see* Achard, F.
EZRATY, R., *see* Chen, G.

FANG, C., *see* Chen, G.
FANTONI, R., *see* Barbini, R.
FAVALLI, M., *see* Mazzarini, F.
FEIJT, A. and DE VALK, P.: The use of NWP model surface temperatures in cloud detection from satellite, 2571

FIELDING, E. J., *see* Prakash, A.
FLASSE, S., *see* Trigg, S.
FLYNN, L. P., *see* Harris, A. J. L.
FOLKARD, A. M., *see* Hedger, R. D.
FONSECA, L. M. G., *see* Carvalho, L. M. T.
FOODY, G. M., *see* Svoray, T.
FOODY, G. M., *see* Zhang, J.
FORGET, P., *see* Lahet, F.
FOWLER, M. J. F.: Cover. A high-resolution satellite image of archaeological features to the south of Stonehenge, 1167
FRANÇA, C. A. S., WAINER, I. and DE MESQUITA, A. R.: A note on removing elastic ocean tide from the TOPEX/POSEIDON data, 2927
FRANÇA, H. and SETZER, A. W.: AVHRR analysis of a savanna site through a fire season in Brazil, 2449
FRANKLIN, S. E., WULDER, M. A. and GERYLO, G. R.: Texture analysis of IKONOS panchromatic data for Douglas-fir forest age class separability in British Columbia, 2627
FRANSSON, J. E. S., SMITH, G., ASKNE, J. and OLSSON, H.: Stem volume estimation in boreal forests using ERS-1/2 coherence and SPOT XS optical data, 2777
FRASER, C. S., *see* Dare, P. M.
FRICK, A. L., *see* Bourgeau-Chavez, L. L.
FUJITA, H., *see* Hirata, M.
FUJITA, M., *see* Kurosu, T.
FULIGNATI, P., *see* Mazzarini, F.
FULK, M., *see* Fuller, D. O.
FULLER, D. O. and FULK, M.: Burned area in Kalimantan, Indonesia mapped with NOAA-AVHRR and Landsat TM imagery, 691
FULLER, R. M., *see* Smith, G. M.

GAMBA, P. and HOUSHMAND, B.: An efficient neural classification chain of SAR and optical urban images, 1535
GANAS, A., PAPADOPOULOS, G. and PAVLIDES, S. B.: The 7 September 1999 Athens 5.9 Ms earthquake: remote sensing and digital elevation model inputs towards identifying the seismic fault, 191
GANIO, L. M., *see* Maiersperger, T. K.
GAO, J., ZHA, Y. and NI, S.: Assessment of the effectiveness of desertification rehabilitation measures in Yulin, north-western China using remote sensing, 3783
GAONAC'H, H., *see* Lovejoy, S.
GARBEIL, H., *see* Harris, A. J. L.
GARCÍA-HARO, F. J., GILABERT, M. A. and MELIÁ, J.: Monitoring fire-affected areas using Thematic Mapper data, 533
GARDASHOV, R. and BARLA, M. C.: The calculation of the distribution of the Sun glitter radiance on the ocean surface by observing from a geostationary orbit, 2939
GARRISON, J. L., *see* Katzberg, S. J.
GAUTHIER, R., *see* Baghdadi, N.
GENS, R., *see* Prakash, A.
GERA, B. S., *see* Bandyopadhyay, L. K.
GERON, C., *see* Baugh, W.
GERYLO, G. R., *see* Franklin, S. E.
GHOSH, P., *see* Saraf, A. K.
GIARDINO, C., *see* Brivio, P. A.
GILABERT, M. A., *see* García-Haro, F. J.
GINTZBURGER, G., *see* Hirata, M.
GONG, P., *see* Sheng, Y.

GONG, P., PU, R. and YU, B.: Conifer species recognition: effects of data transformation, 3471
GONZÁLEZ-ALONSO, F., *see* Vázquez, A.
GONZALEZ, L., *see* Vermote, E. F.
GRAETZ, R. D., *see* Lovell, J. L.
GREEN, D., *see* Shaikh, M.
GRIMES, D., *see* Thorne, V.
GROOM, S. B., *see* Lavender, S. J.
GUÉRIF, M., *see* Leblon, B.
GUEDON, M., *see* Champion, I.
GUENTHER, A., *see* Baugh, W.
GUO, H., *see* Ma, J.
GUO, X., *see* Tian, Q.
GUYMER, T. H., *see* Topliss, B. J.

HALL, D. K., *see* Tait, A. B.
HANAIZUMI, H., *see* Liu, J. G.
HANNA, E. and BAMBER, J.: Derivation and optimization of a new Antarctic sea-ice record, 113
HAN, L.-C.: A method of modifying error for non-synchronicity of grass yield remote sensing estimation and measurement, 3363
HARRIS, A. J. L., PILGER, E., FLYNN, L. P., GARBEIL, H., MOUGINIS-MARK, P. J., KAUAHIKAUA, J. and THORNBER, C.: Automated high temporal resolution, thermal analysis of Kilauea volcano, Hawai'i, using GOES satellite data, 945
HARRIS, R.: Cover. Landsat TM principal components analysis of Oman, 2241
HARRIS, R., *see* Capstick, D.
HARVEY, K. R. and HILL, G. J. E.: Vegetation mapping of a tropical freshwater swamp in the Northern Territory, Australia: a comparison of aerial photography, Landsat TM and SPOT satellite imagery, 2911
HAYES, D. J., *see* Sader, S. A.
HAYS, G. C., DRAY, M., QUAIFE, T., SMYTH, T. J., MIRONNET, N. C., LUSCHI, P., PAPI, F. and BARNSLEY, M. J.: Movements of migrating green turtles in relation to AVHRR derived sea surface temperature, 1403
HE, Y., *see* Chen, G.
HEDGER, R. D., MALTHUS, T. J. and FOLKARD, A. M.: Estimation of velocity fields at the estuary—coastal interface through statistical analysis of successive airborne remotely sensed images, 3901
HEPINSTALL, J. A., *see* Sader, S. A.
HERON, M. L. and HERON, S. F.: Cumulative probability noise analysis in geophysical spectral records, 2537
HERON, S. F., *see* Heron, M. L.
HESSELMANS, G. H. F. M., *see* Calkoen, C. J.
HILL, G. J. E., *see* Harvey, K. R.
HILL, G. J. E., *see* Menges, C. H.
HIRATA, M., KOGA, N., SHINJO, H., FUJITA, H., GINTZBURGER, G. and MIYAZAKI, A.: Vegetation classification by satellite image processing in a dry area of north-eastern Syria, 507
HOBSON, V. R., *see* Elvidge, C. D.
HOEKMAN, D. H., *see* Varekamp, C.
HÖRIG, B., KÜHN, F., OSCHÜTZ, F. and LEHMANN, F.: HyMap hyperspectral remote sensing to detect hydrocarbons, 1413
HORRITT, M. S., MASON, D. C. and LUCKMAN, A. J.: Flood boundary delineation from Synthetic Aperture Radar imagery using a statistical active contour model, 2489
HOUGHTON, N. R., *see* Turner, P. J.
HOUSHMAND, B., *see* Gamba, P.

HOWDEN, R. T., *see* Turner, P. J.
HUANG, H., *see* Mao, Z.
HUANG, W.: Cover. Ocean colour and SST measurements with Chinese FY-1C satellite, 3261
HUANG, W., *see* Mao, Z.
HUDAK, A. T. and WESSMAN, C. A.: Textural analysis of high resolution imagery to quantify bush encroachment in Madikwe Game Reserve, South Africa, 1955–1996, 2731
HUFFORD, G. L., *see* Simpson, J. J.
HURTADO, E. and SOBRINO, J. A.: Daily net radiation estimated from air temperature and NOAA-AVHRR data: a case study for the Iberian Peninsula, 1521

ICHII, K., *see* Kawabata, A.
IMBERNON, J. and BRANTHOMME, A.: Characterization of landscape patterns of deforestation in tropical rain forests, 1753
INAMURA, M., *see* del Carmen Valdes, M.
INOUE, Y. and PEÑUELAS, J.: An AOTF-based hyperspectral imaging system for field use in ecophysiological and agricultural applications, 3883
ISHITSUKA, N., *see* Murakami, T.

JÁJÁ, J., *see* Kalluri, S. N. V.
JACKSON, T. J., *see* Wickel, A. J.
JAKUBAUSKAS, M., KINDSCHER, K. and DEBINSKI, D.: Spectral and biophysical relationships of montane sagebrush communities in multi-temporal SPOT XS data, 1767
JAWAHAR, C. V., *see* Rajesh, K.
JEAN-COURDIER, F., *see* Champion, I.
JI, C. Y., LIU, Q., SUN, D., WANG, S., LIN, P. and LI, X.: Monitoring urban expansion with remote sensing in China, 1441
JIN, Y.-Q. and WANG, Y.: A genetic algorithm to simultaneously retrieve land surface roughness and soil wetness, 3093
JOHNSON, E., *see* Mickus, K.
JONES, B.: A comparison of visual observations of surface oil with Synthetic Aperture Radar imagery of the *Sea Empress* oil spill, 1619
JONES, K., *see* Cunningham, A.
JOYCE, R., *see* Miller, S. W.
JUSTICE, C. O., *see* Vermote, E. F.

KALLURI, S. N. V., ZHANG, Z., JÁJÁ, J., LIANG, S. and TOWNSHEND, J. R. G.: Characterizing land surface anisotropy from AVHRR data at a global scale using high performance computing, 2171
KARMAKAR, P. K., RAHAMAN, M. and SEN, A. K.: Measurement of atmospheric water vapour content over a tropical location by dual frequency microwave radiometry, 3309
KÄRNER, O. and DI GIROLAMO, L.: On automatic cloud detection over ocean, 3047
KARNIELI, A., *see* Manspeizer, N.
KARNIELI, A., *see* Qin, Z.
KARNIELI, A., *see* Schmidt, H.
KASISCHKE, E. S., *see* Bourgeau-Chavez, L. L.
KATZBERG, S. J. and GARRISON, J. L.: Surface reflected signals from the Global Positioning System for ionospheric measurements: experimental results at aircraft altitudes, 663
KAUAHIKAUA, J., *see* Harris, A. J. L.
KAWABATA, A., ICHII, K. and YAMAGUCHI, Y.: Global monitoring of interannual changes in vegetation activities using NDVI and its relationships to temperature and precipitation, 1377

KENEA, N. H.: Influence of desert varnish on the reflectance of gossans in the context of Landsat TM data, southern Red Sea Hills, Sudan, 1879
KENNAWAY, G. M., *see* Tett, P.
KHARE, N., *see* Dash, M. K.
KHIRE, M. V., *see* Rajaram, B.
KIIVERI, H. T., CACCETTA, P. and EVANS, F.: Use of conditional probability networks for environmental monitoring, 1173
KINDSCHER, K., *see* Jakubauskas, M.
KIRANKUMAR, A. S., *see* Mathew, K.
KIRBY, N. E., *see* Cracknell, A. P.
KLAUS, D., *see* Poth, A.
KLINGER, L., *see* Baugh, W.
KOCHAVI, M., *see* Ben-Dor, E.
KOGA, N., *see* Hirata, M.
KONSTANTINOV, O. G., *see* Bukin, O. A.
KRASNOPOLSKY, V., *see* Li, X.
KRATZER, S., *see* Bowers, D. G.
KRISHNA RAO, P. V., *see* Suryanarayana Reddy, G.
KRUG, T., *see* Elvidge, C. D.
KUBO, S., *see* Babu Madhavan, B.
KUDOH, J-I., *see* Lee, W-H.
KÜHN, F., *see* Hörig, B.
KUMAGAI, K., *see* Murakami, T.
KUMAR, A. S. and MAJUMDER, K. L.: Information fusion in tree classifiers, 861
KUMAR, P., *see* Bandyopadhyay, L. K.
KUNDU, S. N., SAHOO, A. K., MOHAPATRA, S. and SINGH, R. P.: Change analysis using IRS-P4 OCM data after the Orissa super cyclone, 1383
KURISAKI, N., *see* Babu Madhavan, B.
KUROSU, T., YOKOYAMA, S., FUJITA, M. and CHIBA, K.: Land use classification with textural analysis and the aggregation technique using multi-temporal JERS-1 L-band SAR images, 595

LADKIN, R. S., *see* Turner, J.
LAGANE, F., *see* Champion, I.
LAHET, F., FORGET, P. and OUILLON, S.: Application of a colour classification method to quantify the constituents of coastal waters from *in situ* reflectances sampled at satellite sensor wavebands, 909
LAHET, F., OUILLON, S. and FORGET, P.: Colour classification of coastal waters of the Ebro river plume from spectral reflectances, 1639
LAKSHMI, V., CZAJKOWSKI, K., DUBAYAH, R. and SUSSKIND, J.: Land surface air temperature mapping using TOVS and AVHRR, 643
LAMBIN, E. F. and MERTENS, B.: Cover. Abrupt and periodic shifts in a marsh location and their impact on biodiversity and farming activities in Shompole, Kenya, 711
LAMBIN, E. F., *see* Lupo, F.
LAMBIN, E. F., *see* Serneels, S.
LAMBIN, E., *see* Petit, C.
LAMBROT, C., *see* Champion, I.
LANDSBERG, J. J., *see* Coops, N. C.
LANJERI, S., MELIÁ, J. and SEGARRA, D.: A multi-temporal masking classification method for vineyard monitoring in central Spain, 3167
LARDIT, A., *see* Champion, I.
LA ROCQUE, A., *see* Leblon, B.
LASAPONARA, R., *see* Cuomo, V.

LATIFOVIC, R., *see* Cihlar, J.
LAVENDER, S. J. and GROOM, S. B.: Cover. The detection and mapping of algal blooms from space, 197
LAVOIE, A., CAVAYAS, F. et DUBOIS, J.-M. M.: Algorithme de simulation du signal des masses d'eau côtières au niveau des capteurs satellitaires à haute résolution spatiale fondé sur le code atmosphérique 6S, 1683
LEBLON, B., ALEXANDER, M., CHEN, J. and WHITE, S.: Monitoring fire danger of northern boreal forests with NOAA-AVHRR NDVI images, 2839
LEBLON, B., GUÉRIF, M. and LA ROCQUE, A.: Wind and cloud cover effects on spectral measurements of flooded rice crops in red and near-infrared SPOT-HRV bands, 1391
LECLERC, G., BEAULIEU, N. and BONN, F.: A simple method to account for topography in the radiometric correction of radar imagery, 3553
LEE, H., *see* Liu, J. G.
LEE, W-H., KUDOH, J-I. and MAKINO, S.: Cloud detection for the Far East region using NOAA AVHRR images, 1349
LEEBEN, A., *see* Babichenko, S.
LEHMANN, F., *see* Hörig, B.
LEONE, A. P. and ESCADAFAL, R.: Statistical analysis of soil colour and spectroradiometric data for hyperspectral remote sensing of soil properties (example in a southern Italy Mediterranean ecosystem), 2311
LE TOAN, T., *see* Castel, T.
LEVIN, N., *see* Ben-Dor, E.
LEWIS, H. G. and BROWN, M.: A generalized confusion matrix for assessing area estimates from remotely sensed data, 3223
LI, W., *see* Wang, J.
LI, X., *see* Ji, C. Y.
LI, X., PICHEL, W., CLEMENTE-COLÓN, P., KRASNOPOLSKY, V. and SAPPER, J.: Validation of coastal sea and lake surface temperature measurements derived from NOAA/AVHRR data, 1285
LI, X., PICHEL, W., MATURI, E., CLEMENTE-COLÓN, P. and SAPPER, J.: Deriving the operational nonlinear multichannel sea surface temperature algorithm coefficients for NOAA-15 AVHRR/3, 699
LI, Z., *see* Trishchenko, A. P.
LIANG, S., *see* Kalluri, S. N. V.
LIANG, S.: Land-cover classification methods for multi-year AVHRR data, 1479
LIN, H., *see* Chen, G.
LIN, P., *see* Ji, C. Y.
LIU, J. G., BLACK, A., LEE, H., HANAIZUMI, H. and MOORE, J. McM.: Land surface change detection in a desert area in Algeria using multi-temporal ERS SAR coherence images, 2463
LIU, Q., *see* Ji, C. Y.
LIU, W. T. and NEGRÓN JUÁREZ, R. I.: ENSO drought onset prediction in northeast Brazil using NDVI, 3483
LODHI, M. A. and RUNDQUIST, D. C.: A spectral analysis of bottom-induced variation in the colour of Sand Hills lakes, Nebraska, USA, 1665
LOFTIE, R., *see* Wooster, M.
LOISEL, H. and MOREL, A.: Non-isotropy of the upward radiance field in typical coastal (Case 2) waters, 275
LONGHI, I., SGAVETTI, M., CHIARI, R. and MAZZOLI, C.: Spectral analysis and classification of metamorphic rocks from laboratory reflectance spectra in the 0.4–2.5 $\mu$m interval: a tool for hyperspectral data interpretation, 3763
LOUIS, J. P., *see* Edirisinghe, A.
LOUSTAU, D., *see* Champion, I.

LOVEJOY, S., SCHERTZER, D., TESSIER, Y. and GAONAC'H, H.: Multifractals and resolution-independent remote sensing algorithms: the example of ocean colour, 1191
LOVELL, J. L. and GRAETZ, R. D.: Filtering Pathfinder AVHRR Land NDVI data for Australia, 2649
LOWELL, K.: An area-based accuracy assessment methodology for digital change maps, 3571
LOWELL, K., *see* Leclerc, G.
LUCKMAN, A. J., *see* Horritt, M. S.
LÜKK, T., *see* Nilson, T.
LUNDÉN, B., WANG, G. and WESTER, K.: A GIS based analysis of data from Landsat TM, airborne geophysical measurements, and digital maps for geological remote sensing in the Stockholm region, Sweden, 517
LUNDEN, B., *see* Moleele, N.
LUPO, F., REGINSTER, I. and LAMBIN, E. F.: Monitoring land-cover changes in West Africa with SPOT Vegetation: impact of natural disasters in 1998–1999, 2633
LUSCHI, P., *see* Hays, G. C.

MA, J., GUO, H., WANG, C., CHEN, G. and SINGHROY, V.: Extraction of polymetallic mineralization information from multispectral Thematic Mapper data using the Gram–Schmidt Orthogonal Projection (GSOP) method, 3323
MAASS, H., *see* Sathyendranath, S.
MAIERSPERGER, T. K., *see* Cohen, W. B.
MAIERSPERGER, T. K., COHEN, B. and GANIO, L. M.: A TM-based hardwood-conifer mixture index for closed canopy forests in the Oregon Coast Range, 1053
MAINGI, J. K. and MARSH, S. E.: Assessment of environmental impacts of river basin development on the riverine forests of eastern Kenya using multi-temporal satellite data, 2701
MAJOR, A. Yu., *see* Bukin, O. A.
MAJUMDER, K. L., *see* Kumar, A. S.
MAKINO, S., *see* Lee, W-H.
MALEENOK, A. V., *see* Bukin, O. A.
MALINGREAU, J. P., *see* Stibig, H-J.
MALTHUS, T. J., *see* Hedger, R. D.
MANSPEIZER, N., KARNIELI, A., ARKIN, Y. and CHOROWICZ, J.: Analysing potential cliff erosivity from ERS SAR satellite imagery, 807
MAO, Z., PAN, D., HUANG, H. and HUANG, W.: Automatic registration of SeaWiFS and AVHRR imagery, 1725
MARGERIN, B., *see* Vermote, E. F.
MARSHALL, G. J., *see* Turner, J.
MARSH, S. E., *see* Maingi, J. K.
MARSH, S. E., *see* Weiss, E.
MARTÍNEZ, C., *see* Calera, A.
MASELLI, F.: Extension of environmental parameters over the land surface by improved fuzzy classification of remotely sensed data, 3597
MASELLI, F., *see* Rembold, F.
MASON, D. C., *see* Horritt, M. S.
MASONIS, S. J. and WARREN, S. G.: Gain of the AVHRR visible channel as tracked using bidirectional reflectance of Antarctic and Greenland snow, 1495
MASSONNET, D.: The interferometric cartwheel: a constellation of passive satellites to produce radar images to be coherently combined, 2413
MATHEW, K., NAGARANI, C. M. and KIRANKUMAR, A. S.: Split-window and multi-angle methods of sea surface temperature determination: an analysis, 3237
MATSAKIS, P., *see* Andréfouët, S.
MATTHEWS, A. M., DUNCAN, A. G. and DAVISON, R. G.: An assessment of validation techniques for estimating chlorophyll-*a* concentration from airborne multispectral imagery, 429

MATTHEWS, A. M., DUNCAN, A. G. and DAVISON, R. G.: Error assessment of validation techniques for estimating suspended particulate matter concentration from airborne multispectral imagery, 449
MATURI, E., *see* Li, X.
MAYAUX, P., *see* Achard, F.
MAZZARINI, F., PARESCHI, M. T., SBRANA, A., FAVALLI, M. and FULIGNATI, P.: Surface hydrothermal alteration mapping at Vulcano Island using MIVIS data, 2045
MAZZOLI, C., *see* Longhi, I.
MCALLISTER, A., *see* Abuzar, M.
MCDONALD, A. J., *see* Morrison, K.
MCINTIRE, T. J., *see* Simpson, J. J.
MCMORROW, J.: Linear regression modelling for the estimation of oil palm age from Landsat TM, 2243
MCVICAR, T. R. and BIERWIRTH, P. N.: Rapidly assessing the 1997 drought in Papua New Guinea using composite AVHRR imagery, 2109
MELIÁ, J., *see* Calera, A.
MELIÁ, J., *see* García-Haro, F. J.
MELIÁ, J., *see* Lanjeri, S.
MENGES, C. H., HILL, G. J. E. and AHMAD, W.: Use of airborne video data for the characterization of tropical savannas in northern Australia: the optimal spatial resolution for remote sensing applications, 727
MENGES, C. H., VAN ZYL, J. J., HILL, G. J. E. and AHMAD, W.: A procedure for the correction of the effect of variation in incidence angle on AIRSAR data, 829
MENNIS, J.: Exploring relationships between ENSO and vegetation vigour in the south-east USA using AVHRR data, 3077
MERTENS, B., *see* Lambin, E. F.
MERTIKAS, P. and ZERVAKIS, M. E.: Exemplifying the theory of evidence in remote sensing image classification, 1081
MICKUS, K. and JOHNSON, E.: Mapping sedimentary and volcanic units within and surrounding Petrified Forest National Park, Arizona, using Landsat-5 and SPOT panchromatic data, 1919
MILLER, S. D.: Physical decoupling of the GOES daytime 3.9 $\mu$m channel thermal emission and solar reflection components using total solar eclipse data, 9
MILLER, S. W., ARKIN, P. A. and JOYCE, R.: A combined microwave/infrared rain rate algorithm, 3285
MILLINGTON, A. C., *see* Tansey, K. J.
MILLS, D. K., *see* Tett, P.
MIRONNET, N. C., *see* Hays, G. C.
MISHRA, J. K. and SHARMA, O. P.: Cloud top temperature based precipitation intensity estimation using INSAT-1D data, 969
MITRA, A., *see* Dash, M. K.
MIYAZAKI, A., *see* Hirata, M.
MOHAN, M. and CHAUHAN, P.: Simulations for optimal payload tilt to avoid sunglint in IRS-P4 Ocean Colour Monitor (OCM) data around the Indian subcontinent, 185
MOHAN, M., *see* Sarangi, R. K.
MOHAPATRA, S., *see* Kundu, S. N.
MOLEELE, N., RINGROSE, S., ARNBERG, W., LUNDEN, B. and VANDERPOST, C.: Assessment of vegetation indexes useful for browse (forage) prediction in semi-arid rangelands, 741
MOORE, J. McM., *see* Liu, J. G.
MOREL, A., *see* Loisel, H.
MORRIS, M., *see* Abuzar, M.
MORRISON, J. R., *see* Bowers, D. G.
MORRISON, K., BENNETT, J. C., COOKMARTIN, G., MCDONALD, A. J., RACE, A. and QUEGAN, S.: Three-dimensional X-band SAR imaging of a small conifer tree, 705

MOUGINIS-MARK, P. J., *see* Harris, A. J. L.
MUDD, J. P., *see* Bourgeau-Chavez, L. L.
MURAKAMI, T., OGAWA, S., ISHITSUKA, N., KUMAGAI, K. and SAITO, G.: Crop discrimination with multitemporal SPOT/HRV data in the Saga Plains, Japan, 1335
MURTAGH, F., *see* Carvalho, L. M. T.
MURTHY, C. A., *see* Pal, S. K.

NAGARAJAN, R., *see* Rajaram, B.
NAGARANI, C. M., *see* Mathew, K.
NAGENDRA, H., *see* Castel, T.
NAGENDRA, H.: Review article. Using remote sensing to assess biodiversity, 2377
NARASIMHA RAO, C. L., *see* Suryanarayana Reddy, G.
NARUI, E., *see* Akman, A. Ü.
NASR, S., *see* El-Gamily, H. I.
NAVALGUND, R. R., *see* Sarangi, R. K.
NAVALGUND, R. R., *see* Sharma, T.
NAYAK, S. R., *see* Sarangi, R. K.
NAYAK, S. R., *see* Solanki, H. U.
NEESON, I., *see* Baghdadi, N.
NEGRÓN JUÁREZ, R. I., *see* Liu, W. T.
NEWCOMBE, S. K., *see* Cracknell, A. P.
NI, S., *see* Gao, J.
NILSON, T., OLSSON, H., ANNISTE, J., LÜKK, T. and PRAKS, J.: Thinning-caused change in reflectance of ground vegetation in boreal forest, 2763
NIU, Z., WANG, C., WANG, W., ZHANG, Q. and YOUNG, S. S.: Estimating bidirectional angles in NOAA AVHRR images, 1609
NORTH, H. C., *see* Wu, Q. X.
NOVO, E. M. L. M., *see* Elvidge, C. D.

O'CONNOR, G. T., *see* Tett, P.
OETTER, D. R., *see* Cohen, W. B.
OGAWA, S., *see* Murakami, T.
OGAY, S. A., *see* Bukin, O. A.
OHDE, T. and SIEGEL, H.: Correction of bottom influence in ocean colour satellite images of shallow water areas of the Baltic Sea, 297
OIKAWA, N., *see* Akman, A. Ü.
OKOUNEVA, G., *see* Cihlar, J.
OLSSON, H., *see* Fransson, J. E. S.
OLSSON, H., *see* Nilson, T.
OSBORNE, C. P. and WOODWARD, F. I.: Biological mechanisms underlying recent increases in the NDVI of Mediterranean shrublands, 1895
OSCHÜTZ, F., *see* Hörig, B.
OUILLON, S., *see* Lahet, F.
OWE, M. and VAN DE GRIEND, A. A.: On the relationship between thermodynamic surface temperature and high-frequency (37 GHz) vertically polarized brightness temperature under semi-arid conditions, 3521
ÖZKAN, C., *see* Sunar, F.

PAGÈS, J., *see* Andréfouët, S.
PAL, S. K., BANDYOPADHYAY, S. and MURTHY, C. A.: Genetic classifiers for remotely sensed images: comparison with standard methods, 2545
PALUCCI, A., *see* Barbini, R.

PANDEY, H. D., *see* Bandyopadhyay, L. K.
PANDEY, P. C., *see* Dash, M. K.
PAN, D., *see* Mao, Z.
PAPADOPOULOS, G., *see* Ganas, A.
PAPI, F., *see* Hays, G. C.
PARESCHI, M. T., *see* Mazzarini, F.
PATEL, N. K., PATNAIK, C., DUTTA, S., SHEKH, A. M. and DAVE, A. J.: Study of crop growth parameters using Airborne Imaging Spectrometer data, 2401
PATNAIK, C., *see* Patel, N. K.
PATTERSON, G., *see* Wooster, M.
PAVLIDES, S. B., *see* Ganas, A.
PAVLOV, A. N., *see* Bukin, O. A.
PELLIKKA, P.: Application of vertical skyward wide-angle photography and airborne video data for phenological studies of beech forests in the German Alps, 2675
PELLIKKA, P., *see* Elvidge, C. D.
PEÑUELAS, J., *see* Inoue, Y.
PEREVOLOTSKY, A., *see* Svoray, T.
PERGOLA, N., *see* Pietrapertosa, C.
PERMYAKOV, M. S., *see* Bukin, O. A.
PETIT, C., SCUDDER, T. and LAMBIN, E.: Quantifying processes of land-cover change by remote sensing: resettlement and rapid land-cover changes in south-eastern Zambia, 3435
PFIRMAN, E. S., *see* Weiss, E.
PICHEL, W., *see* Li, X.
PIETRAPERTOSA, C., CUOMO, V., PERGOLA, N., SERIO, C., TRAMUTOLI, V. and SHIMODA, H.: Fractality in broken clouds and the scan geometry of new satellite-borne infrared sensors, 889
PILGER, E., *see* Harris, A. J. L.
PLATT, T., *see* Sathyendranath, S.
PORTE, A., *see* Champion, I.
PORTUGALI, J., *see* Ben-Dor, E.
PORYVKINA, L., *see* Babichenko, S.
PORYVKINA, L., *see* Dudelzak, A. E.
POTH, A., KLAUS, D., VOß, M. and STEIN, G.: Optimization at multi-spectral land cover classification with fuzzy clustering and the Kohonen feature map, 1423
POWER, C., *see* Zukowskyj, P. M.
PRAKASH, A., FIELDING, E. J., GENS, R., VAN GENDEREN, J. L. and EVANS, D. L.: Data fusion for investigating land subsidence and coal fire hazards in a coal mining area, 921
PRAKS, J., *see* Nilson, T.
PRATA, A. J., *see* Turner, P. J.
PRATA, A. J., BAINES, P. G. and TILDESLEY, P. C.: Observations of concentric ring clouds west of Australia, 2847
PRICE, K. P., *see* Wang, J.
PU, R., *see* Gong, P.
PU, R., *see* Tian, Q.

QIN, X., *see* Xiao, X.
QIN, Z., KARNIELI, A. and BERLINER, P.: A mono-window algorithm for retrieving land surface temperature from Landsat TM data and its application to the Israel-Egypt border region, 3719
QIN, Z., KARNIELI, A. and BERLINER, P.: Cover. Thermal variation in the Israel-Sinai (Egypt) peninsula region, 915
QUAIFE, T., *see* Hays, G. C.
QUEGAN, S., *see* Morrison, K.

RACE, A., *see* Morrison, K.
RAHAMAN, M., *see* Karmakar, P. K.
RAHMAN, H.: Influence of atmospheric correction on the estimation of biophysical parameters of crop canopy using satellite remote sensing, 1245
RAJARAM, B., NAGARAJAN, R. and KHIRE, M. V.: Synergistic use of orbital satellite image and ground-based information in environmental monitoring of railway alignment construction—a case study, 3187
RAJESH, K., JAWAHAR, C. V., SENGUPTA, S. and SINHA, S.: Performance analysis of textural features for characterization and classification of SAR images, 1555
RAO, A. M., *see* Tripathi, N. K.
RAO, C. R. N., SULLIVAN, J. T. and ZHANG, N.: Post-launch calibration of the visible channel of the High Resolution Infrared Radiation Sounder (HIRS) on the NOAA-14 spacecraft, 2431
RAY, J., *see* Vermote, E. F.
REDMOND, R. L., *see* Steele, B. M.
REES, W. G.: Improving the accuracy of low-cost GPS measurements for remote sensing applications, 871
REES, W. G. and STEEL, A. M.: Radar backscatter coefficients and snow detectability for upland terrain in Scotland, 3015
REES, W. G. and STEEL, A. M.: Technical note. Simplified radar mapping equations for terrain correction of space-borne SAR images, 3643
REGINSTER, I., *see* Lupo, F.
REMBOLD, F., MASELLI, F. and ROSSINI, P.: Effects of environmental spatial variability on the differences between NOAA-AVHRR LAC and GAC NDVI data, 895
RIBEZZO, S., *see* Barbini, R.
RICCHETTI, E.: Visible–infrared and radar imagery fusion for geological application: a new approach using DEM and sun-illumination model, 2219
RICH, P. M., *see* Wang, J.
RINGROSE, S., *see* Moleele, N.
ROBERTS, A., *see* Coburn, C.
ROBERTS, D., *see* Sutton, P.
ROBINSON, I. S., *see* Subrahmanyam, B.
ROBSON, M., *see* Zhou, Q.
ROCHES, C., *see* Couteron, P.
ROGAN, J. and YOOL, S. R.: Mapping fire-induced vegetation depletion in the Peloncillo Mountains, Arizona and New Mexico, 3101
ROMO, A., *see* Al-Rawi, K. R.
ROSSINI, P., *see* Rembold, F.
ROY, D. P., *see* Vermote, E. F.
ROY, P. S. and TOMAR, S.: Landscape cover dynamics pattern in Meghalaya, 3813
RUBIO, E., *see* Coll, C.
RUNDQUIST, D. C., *see* Lodhi, M. A.
RUSSELL, R. W. and WILSON, J. W.: Spatial dispersion of aerial plankton over east-central Florida: aeolian transport and coastline concentrations, 2071

SAARONI, H., *see* Ben-Dor, E.
SADER, S. A., HAYES, D. J., HEPINSTALL, J. A., COAN, M. and SOZA, C.: Forest change monitoring of a remote biosphere reserve, 1937
SAHOO, A. K., *see* Kundu, S. N.
SAID, M. Y., *see* Serneels, S.
SAITO, G., *see* Murakami, T.
SANGA, T., *see* Akman, A. Ü.
SAPPER, J., *see* Li, X.

SARAF, A. K., CHOUDHARY, P. R., SARMA, B. and GHOSH, P.: Cover. Impacts of reservoirs on groundwater and vegetation: a study based on remote sensing and GIS techniques, 2439
SARANGI, R. K., CHAUHAN, P., MOHAN, M., NAYAK, S. R. and NAVALGUND, R. R.: Cover. Phytoplankton distribution in the Arabian Sea using IRS-P4 OCM satellite data, 2863
SARKEALA, J., *see* Tokola, T.
SARMA, B., *see* Saraf, A. K.
SARTORE, M., *see* Champion, I.
SATHYENDRANATH, S., COTA, G., STUART, V., MAASS, H. and PLATT, T.: Remote sensing of phytoplankton pigments: a comparison of empirical and theoretical approaches, 249
SATYA KIRAN, V., *see* Sharma, T.
SAXENA, N., *see* Bandyopadhyay, L. K.
SBRANA, A., *see* Mazzarini, F.
SCHERTZER, D., *see* Lovejoy, S.
SCHLÜSSEL, P. and ALBERT, A.: Latent heat flux at the sea surface retrieved from combined TMI and VIRS measurements of TRMM, 1975
SCHMIDT, H. and KARNIELI, A.: Sensitivity of vegetation indices to substrate brightness in hyper-arid environment: the Makhtesh Ramon Crater (Israel) case study, 3503
SCHMIDT, K. S. and SKIDMORE, A. K.: Exploring spectral discrimination of grass species in African rangelands, 3421
SCHOLTE, K., *see* van der Meer, F.
SCUDDER, T., *see* Petit, C.
SEAQUIST, J. W., *see* Chappell, A.
SEAR, C., *see* Wooster, M.
SEGARRA, D., *see* Lanjeri, S.
SEN, A. K., *see* Karmakar, P. K.
SENGUPTA, S., *see* Rajesh, K.
SEPPÄLÄ, J., *see* Babichenko, S.
SERIO, C., *see* Pietrapertosa, C.
SERNEELS, S., SAID, M. Y. and LAMBIN, E. F.: Land cover changes around a major east African wildlife reserve: the Mara Ecosystem (Kenya), 3397
SETZER, A. W., *see* França, H.
SGAVETTI, M., *see* Longhi, I.
SHABAN, M. A. and DIKSHIT, O.: Improvement of classification in urban areas by the use of textural features: the case study of Lucknow city, Uttar Pradesh, 565
SHAIKH, M., GREEN, D. and CROSS, H.: A remote sensing approach to determine environmental flows for wetlands of the Lower Darling River, New South Wales, Australia, 1737
SHALAPYONOK, A., *see* Babichenko, S.
SHANDLEY, J., *see* Svejkovsky, J.
SHARMA, O. P., *see* Mishra, J. K.
SHARMA, P. K., *see* Chopra, R.
SHARMA, T., SATYA KIRAN, V., SINGH, T. P., TRIVEDI, A. V. and NAVALGUND, R. R.: Hydrologic response of a watershed to land use changes: a remote sensing and GIS approach, 2095
SHEKH, A. M., *see* Patel, N. K.
SHENG, Y., GONG, P. and XIAO, Q.: Quantitative dynamic flood monitoring with NOAA AVHRR, 1709
SHEN, Z., *see* Xiao, X.
SHIMABUKURO, Y. E., *see* Elvidge, C. D.
SHIMODA, H., *see* Pietrapertosa, C.
SHINJO, H., *see* Hirata, M.
SHIONIM, M., *see* Ben-Dor, E.
SHOSHANY, M., *see* Svoray, T.
SIEGEL, H., *see* Ohde, T.
SIMMONDS, L. P., *see* Burke, E. J.
SIMMS, É. L. and DUBOIS, J.-M. M.: Satellite remote sensing of submerged kelp beds on the Atlantic coast of Canada, 2083

SIMPSON, J. J., MCINTIRE, T. J., STITT, J. R. and HUFFORD, G. L.: Improved cloud detection in AVHRR daytime and night-time scenes over the ocean, 2585
SINGHROY, V., *see* Ma, J.
SINGH, R. P., *see* Kundu, S. N.
SINGH, T. P., *see* Sharma, T.
SINHA, S., *see* Rajesh, K.
SINHA, S. K., *see* Bandyopadhyay, L. K.
SIVAKUMAR, T. V. L. N., *see* Babu Madhavan, B.
SKIDMORE, A., *see* van der Meer, F.
SKIDMORE, A. K., *see* Schmidt, K. S.
SMALL, C.: Estimation of urban vegetation abundance by spectral mixture analysis, 1305
SMITH, G. and ASKNE, J.: Clear-cut detection using ERS interferometry, 3651
SMITH, G., *see* Fransson, J. E. S.
SMITH, G. M. and FULLER, R. M.: An integrated approach to land cover classification: an example in the Island of Jersey, 3123
SMITH, K. B., *see* Bourgeau-Chavez, L. L.
SMITH, P. S. D., *see* Bowers, D. G.
SMYTH, T. J., *see* Hays, G. C.
SNAITH, H. M., *see* Topliss, B. J.
SOBRINO, J. A., *see* Hurtado, E.
SOLANKI, H. U., DWIVEDI, R. M. and NAYAK, S. R.: Synergistic analysis of SeaWiFS chlorophyll concentration and NOAA-AVHRR SST features for exploring marine living resources, 3877
SOSPEDRA, F., *see* Coll, C.
SOZA, C., *see* Sader, S. A.
SPIES, T. A., *see* Cohen, W. B.
STACH, N., *see* Castel, T.
STEEL, A. M., *see* Rees, W. G.
STEELE, B. M. and REDMOND, R. L.: A method of exploiting spatial information for improving classification rules: application to the construction of polygon-based land cover maps, 3143
STEIN, G., *see* Poth, A.
STEPANZCAK, M., *see* Topliss, B. J.
STEVENS, N. F., WADGE, G. and WILLIAMS, C. A.: Post-emplacement lava subsidence and the accuracy of ERS InSAR digital elevation models of volcanoes, 819
STIBIG, H-J., MALINGREAU, J. P. and BEUCHLE, R.: Cover. New possibilities of regional assessment of tropical forest cover in insular Southeast Asia using SPOT-VEGETATION satellite image mosaics, 503
STITT, J. R., *see* Simpson, J. J.
STUART, V., *see* Sathyendranath, S.
STUSSI, N., *see* Castel, T.
SUBRAHMANYAM, B., ROBINSON, I. S., BLUNDELL, J. R. and CHALLENOR, P. G.: Indian Ocean Rossby waves observed in TOPEX/POSEIDON altimeter data and in model simulations, 141
SUGIMURA, T., *see* Tanaka, S.
SULLIVAN, J. T., *see* Rao, C. R. N.
SUNAR, F. and ÖZKAN, C.: Forest fire analysis with remote sensing data, 2265
SUN, D., *see* Ji, C. Y.
SURYANARAYANA REDDY, G., NARASIMHA RAO, C. L., VENKATARATNAM, L. and KRISHNA RAO, P. V.: Influence of plant pigments on spectral reflectance of maize, groundnut and soybean grown in semi-arid environments, 3373
SUSSKIND, J., *see* Lakshmi, V.
SUTTON, P., ROBERTS, D., ELVIDGE, C. and BAUGH, K.: Census from Heaven: an estimate of the global human population using night-time satellite imagery, 3061

SVEJKOVSKY, J. and SHANDLEY, J.: Detection of offshore plankton blooms with AVHRR and SAR imagery, 471
SVORAY, T., SHOSHANY, M., CURRAN, P. J., FOODY, G. M. and PEREVOLOTSKY, A.: Relationship between green leaf biomass volumetric density and ERS-2 SAR backscatter of four vegetation formations in the semi-arid zone of Israel, 1601

TAHNK, W. R. and COAKLEY, J. A., JR: Improved calibration coefficients for NOAA-14 AVHRR visible and near-infrared channels, 1269
TAHNK, W. R. and COAKLEY, J. A., JR: Updated calibration coefficients for NOAA-14 AVHRR Channels 1 and 2, 3053
TAIT, A. B., BARTON, J. S. and HALL, D. K.: A prototype MODIS–SSM/I snow-mapping algorithm, 3275
TAKEUCHI, S., *see* Yonezawa, C.
TANAKA, S. and SUGIMURA, T.: Cover. A new frontier of remote sensing from IKONOS images, 1
TANSEY, K. J. and MILLINGTON, A. C.: Investigating the potential for soil moisture and surface roughness monitoring in drylands using ERS SAR data, 2129
TATEISHI, R., *see* Tetuko S. S., J.
TATEISHI, R., *see* Wen, C. G.
TAYLOR, A., *see* Turner, P. J.
TEEUW, R. M., *see* Zukowskyj, P. M.
TESSIER, Y., *see* Lovejoy, S.
TETT, P., *see* Bowers, D. G.
TETT, P., KENNAWAY, G. M., BOON, D., MILLS, D. K., O'CONNOR, G. T., WALNE, A. W. and WILTON, R.: Optical monitoring of phytoplankton blooms in Loch Striven, a eutrophic fjord, 339
TETUKO S. S., J., TATEISHI, R. and WIKANTIKA, K.: A method to estimate tree trunk diameter and its application to discriminate Java-Indonesia tropical forests, 177
THORNBER, C., *see* Harris, A. J. L.
THORNE, V., COAKELEY, P., GRIMES, D. and DUGDALE, G.: Comparison of TAMSAT and CPC rainfall estimates with raingauges, for southern Africa, 1951
TIAN, Q., TONG, Q., PU, R., GUO, X. and ZHAO, C.: Spectroscopic determination of wheat water status using 1650–1850 nm spectral absorption features, 2329
TILDESLEY, P. C., *see* Prata, A. J.
TOKOLA, T., SARKEALA, J. and VAN DER LINDEN, M.: Use of topographic correction in Landsat TM-based forest interpretation in Nepal, 551
TOMAR, S., *see* Roy, P. S.
TONG, Q., *see* Tian, Q.
TOPLISS, B. J., STEPANZCAK, M., SNAITH, H. M., CHALLENOR, P. and GUYMER, T. H.: Ocean feature detection using altimetry backscatter: the Gulf Stream, 843
TOUTIN, Th.: Review article: Elevation modelling from satellite visible and infrared (VIR) data, 1097
TOWNSHEND, J. R. G., *see* Kalluri, S. N. V.
TRAMUTOLI, V., *see* Cuomo, V.
TRAMUTOLI, V., *see* Pietrapertosa, C.
TREITZ, P.: Variogram analysis of high spatial resolution remote sensing data: An examination of boreal forest ecosystems, 3895
TRIGG, S. and FLASSE, S.: An evaluation of different bi-spectral spaces for discriminating burned shrub-savannah, 2641
TRIPATHI, N. K. and RAO, A. M.: Investigation of erosion on Hope Island using IRS-1D LISS-III data, 883
TRISHCHENKO, A. P. and LI, Z.: A method for the correction of AVHRR onboard IR calibration in the event of short-term radiative contamination, 3619

TRIVEDI, A. V., *see* Sharma, T.
TUCKER, C. J., *see* Anyamba, A.
TURNER, J., MARSHALL, G. J. and LADKIN, R. S.: An operational, real-time cloud detection scheme for use in the Antarctic based on AVHRR data, 3027
TURNER, P. J., PRATA, A. J., HOWDEN, R. T., HOUGHTON, N. R. and TAYLOR, A.: An ATSR-2 Mosaic Image of Australia, 3889

USTIN, S. L. and XIAO, Q. F.: Mapping successional boreal forests in interior central Alaska, 1779

VALOR, E., *see* Coll, C.
VAN DE GRIEND, A. A., *see* Owe, M.
VAN DER MEER, F., BAKKER, W., SCHOLTE, K., SKIDMORE, A., DE JONG, S., CLEVERS, J., ADDINK, E. and EPEMA, G.: Spatial scale variations in vegetation indices and above-ground biomass estimates: implications for MERIS, 3381
VAN DER LINDEN, M., *see* Tokola, T.
VANDERPOST, C., *see* Moleele, N.
VAN GENDEREN, J. L., *see* Prakash, A.
VAN ZYL, J. J., *see* Menges, C. H.
VAREKAMP, C. and HOEKMAN, D. H.: Segmentation of high-resolution InSAR data of a tropical forest using Fourier parameterized deformable models, 2339
VÁZQUEZ, A., CUEVAS, J. M. and GONZÁLEZ-ALONSO, F.: Comparison of the use of WiFS and LISS images to estimate the area burned in a large forest fire, 901
VENKATARATNAM, L., *see* Suryanarayana Reddy, G.
VERBYLA, D. L.: A test of detecting spring leaf flush within the Alaskan boreal forest using ERS-2 and Radarsat SAR data, 1159
VERMA, V. K., *see* Chopra, R.
VERMOTE, E. F., JUSTICE, C. O., DESCLOITRES, J., EL SALEOUS, N., ROY, D. P., RAY, J., MARGERIN, B. and GONZALEZ, L.: A SeaWiFS global monthly coarse-resolution reflectance dataset, 1151
VINIZKI, L., *see* Ben-Dor, E.
VOGELZANG, J.: A model comparison study to the imaging of submarine reefs with synthetic aperture radar, 2509
VOGELZANG, J., *see* Calkoen, C. J.
VOß, M., *see* Poth, A.
VYAS, N. K., *see* Dash, M. K.

WADGE, G., *see* Stevens, N. F.
WAINER, I., *see* França, C. A. S.
WALNE, A. W., *see* Bowers, D. G.
WALNE, A. W., *see* Tett, P.
WAN, Y. Q., *see* Deng, W.
WANG, C., *see* Ma, J.
WANG, C., *see* Niu, Z.
WANG, C. Y., *see* Young, S. S.
WANG, G., *see* Lundén, B.
WANG, J. and LI, W.: Establishing snowmelt runoff simulating model using remote sensing data and GIS in the west of China, 3267
WANG, J., PRICE, K. P. and RICH, P. M.: Spatial patterns of NDVI in response to precipitation and temperature in the central Great Plains, 3827
WANG, L.-F., *see* del Frate, F.
WANG, S., *see* Ji, C. Y.

WANG, W., *see* Niu, Z.
WANG, Y., *see* Jin, Y.-Q.
WARING, R. H., *see* Coops, N. C.
WARNER, T. A. and CHEN, X.: Normalization of Landsat thermal imagery for the effects of solar heating and topography, 773
WARREN, S. G., *see* Masonis, S. J.
WASSMANN, P., *see* Dudelzak, A. E.
WEEKS, A. R., *see* Aguirre-Gómez, R.
WEISS, E., MARSH, S. E. and PFIRMAN, E. S.: Application of NOAA-AVHRR NDVI time-series data to assess changes in Saudi Arabia's rangelands, 1005
WEN, C. G. and TATEISHI, R., 30-second degree grid land cover classification of Asia, 3845
WENG, Q.: A remote sensing–GIS evaluation of urban expansion and its impact on surface temperature in the Zhujiang Delta, China, 1999
WENSINK, G. J., *see* Calkoen, C. J.
WESSMAN, C. A., *see* Hudak, A. T.
WESTER, K., *see* Lundén, B.
WEYDAHL, D. J.: Analysis of ERS SAR coherence images acquired over vegetated areas and urban features, 2811
WHITE, S., *see* Leblon, B.
WICKEL, A. J., JACKSON, T. J. and WOOD, E. F.: Multitemporal monitoring of soil moisture with RADARSAT SAR during the 1997 Southern Great Plains hydrology experiment, 1571
WIKANTIKA, K., *see* Tetuko S. S., J.
WILD-ALLEN, K., *see* Bowers, D. G.
WILLIAMS, C. A., *see* Stevens, N. F.
WILSON, J. W., *see* Russell, R. W.
WILTON, R., *see* Tett, P.
WOOD, E. F., *see* Wickel, A. J.
WOOD, P. and CUNNINGHAM, A.: Ship-borne measurements of ocean colour: development of a CCD-based reflectance radiometer and trials on a longitudinal transect of the Atlantic Ocean, 99
WOOD, P., *see* Cunningham, A.
WOODWARD, F. I., *see* Osborne, C. P.
WOOSTER, M., PATTERSON, G., LOFTIE, R. and SEAR, C.: Derivation and validation of the seasonal thermal structure of Lake Malawi using multi-satellite AVHRR observations, 2953
WORTHINGTON, R. M.: Alignment of mountain lee waves viewed using NOAA AVHRR imagery, MST radar, and SAR, 1361
WU, Q. X. and NORTH, H. C.: A multi-scale technique for detecting forest-cover boundary from L-band SAR images, 757
WULDER, M. A., *see* Franklin, S. E.

XIAO, Q. F., *see* Ustin, S. L.
XIAO, Q., *see* Sheng, Y.
XIAO, X., SHEN, Z. and QIN, X.: Assessing the potential of VEGETATION sensor data for mapping snow and ice cover: a Normalized Difference Snow and Ice Index, 2479

YAMAGUCHI, Y., *see* Kawabata, A.
YOKOYAMA, S., *see* Kurosu, T.
YONEZAWA, C. and TAKEUCHI, S.: Decorrelation of SAR data by urban damages caused by the 1995 Hyogoken-nanbu earthquake, 1585
YOOL, S. R., *see* Rogan, J.

YOUNG, S. S. and WANG, C. Y.: Land-cover change analysis of China using global-scale Pathfinder AVHRR Landcover (PAL) data, 1982–92, 1457
YOUNG, S. S., *see* Niu, Z.
YU, B., *see* Gong, P.
YUSOF, K. W., *see* Baban, S. M. J.

ZECCHETTO, S. and CAPPA, C.: The spatial structure of the Mediterranean Sea winds revealed by ERS-1 scatterometer, 45
ZERVAKIS, M. E., *see* Mertikas, P.
ZHA, Y., *see* Gao, J.
ZHANG, J. and FOODY, G. M.: Fully-fuzzy supervised classification of sub-urban land cover from remotely sensed imagery: statistical and artificial neural network approaches, 615
ZHANG, N., *see* Rao, C. R. N.
ZHANG, Q., *see* Niu, Z.
ZHANG, Y.: Detection of urban housing development by fusing multisensor satellite data and performing spatial feature post-classification, 3339
ZHANG, Z., *see* Kalluri, S. N. V.
ZHAO, C., *see* Tian, Q.
ZHAO, R. C., *see* Deng, W.
ZHOU, Q. and ROBSON, M.: Automated rangeland vegetation cover and density estimation using ground digital images and a spectral–contextual classifier, 3457
ZILIOLI, E., *see* Brivio, P. A.
ZUKOWSKYJ, P. M., BUSSELL, M. A., POWER, C. and TEEUW, R. M.: Quantitative accuracy assessment of contextually filtered classified images, 3203